

CLAIMS

What is claimed to be new and desired to be protected by Letters Patent is set forth in the appended claims.

I claim:

1. An apparatus for use with a portable leaf blower for applying particulate matter to an area, in combination comprising:
 - a) a portable leaf blower, said leaf blower having an elongated blower tube to permit pressurized air to exit from said leaf blower, said leaf blower tube having first and second opposing ends, said first end being oriented toward said leaf blower;
 - b) a blower attachment for connecting the apparatus to said blower tube;
 - c) a container being disposed on said blower attachment, said container for receiving therein particulate matter, said container having a removably fixed cap thereon to permit particulate matter to be placed in the container; and,
 - d) a control for metering the amount of particulate matter fed into said blower tube from said container to permit particulate matter to be spread by the leaf blower.
2. The apparatus of Claim 1, wherein said leaf blower is sized to be held in the hands of a user.

3. The apparatus of Claim 2, wherein said leaf blower is contained in a backpack to be worn by a user.
4. The apparatus of Claim 3, wherein said blower attachment is a cylindrical tube being complementarily sized as said blower tube.
5. The apparatus of Claim 4, wherein said blower attachment is disposed between said first and second ends of said blower tube.
6. The apparatus of Claim 5, wherein said control further comprises a regulator being disposed between said container and said blower attachment.
7. The apparatus of Claim 6, wherein said control further comprises at least one external lever being disposed on said control to permit a user to adjust the regulator.
8. The apparatus of Claim 7, wherein said container is disposed above said blower tube so that particulate matter will gravity flow from said container to said blower tube.
9. An apparatus for use with a portable leaf blower for applying particulate matter to an area, in combination, comprising:

- a) a portable leaf blower, said leaf blower having an elongated blower tube to permit pressurized air to exit from said leaf blower, said leaf blower tube having first and second opposing ends, said first end being oriented toward said leaf blower;
- b) a blower attachment for connecting the apparatus to said blower tube;
- c) a container having a top and a bottom end, said container for receiving therein particulate matter, said container having a removably fixed cap thereon to permit particulate matter to be placed in the container, a means for connection being disposed on said container,
- d) a strap being disposed on said means for connection to permit the container to be worn by a user;
- e) a flexible conduit having first and second opposing ends, said first end being connected to said container and said second end being connected to said blower attachment to permit particulate matter to flow from the container to the blower attachment; and,
- f) a control for metering the amount of particulate matter fed into said blower tube from said flexible conduit to permit particulate matter to be spread by the leaf blower.

10. The apparatus of Claim 9, wherein said leaf blower is sized to be held in the hands of a user.

11. The apparatus of Claim 10, wherein said leaf blower is contained in a backpack to be worn by a user.

12. The apparatus of Claim 11, wherein said blower attachment is a cylindrical

Steele; Doc. No. TS-1-gw; 15 Oct. 2003

tube being complementarily sized as said blower tube.

13. The apparatus of Claim 12, wherein said blower attachment is disposed between said first and second ends of said blower tube.

14. The apparatus of Claim 13, wherein said control further comprises a regulator being disposed between said container and said blower attachment.

15. The apparatus of Claim 14, wherein said control further comprises at least one external lever being disposed on said control to permit a user to adjust the regulator.

16. The apparatus of Claim 15, wherein said container is disposed above said blower tube so that particulate matter will gravity flow from said container to said blower tube.